

covering Electronic Components, Assemblies, Related Materials and Processes

For rules and details of the IECQ visit www.iecq.org

Schedule of Scope to Certificate of Conformity Approved Component

IECQ Certificate No.: IECQ-C ULTW 18.0001
CB Certificate No.: 20002947 AQP

Schedule Number: IECQ-C ULTW 18.0001-S Rev No.: 1 Revision Date: 2018/10/29 Page 1 of 4

Approval Scope

Table 1 Resistance Range & Electrical Characteristics

Туре	Power Rating at 70°C	Max. Working Voltage	Max. Over- Load Voltage	Operating Temperature (Temp. Range) (°C)		T.C.R	Resistance Range(Ω)			
				Min.	Max.	(PPM/°C)	D(±0.5%) E-96&E-24	F(±1%) E-96&E-24	G(±2%) E-24	J(±5%) E-24
RMS02	1/20W	25V	50V	-55	125	±200	100Ω-10ΚΩ	10Ω-3ΜΩ	10Ω-3ΜΩ	10Ω-10ΜΩ
						+600 -200		1-9.1Ω	1-9.1Ω	1-9.1Ω
RMS04	1/16W	50V	100V	-55	155	±100	100Ω~1ΜΩ	100Ω~1ΜΩ		
						±200	10Ω≦R<100Ω	$\begin{array}{l} 10\Omega\!\leq\!R\!<\!100\Omega\\ 1M\Omega\!<\!R\!\leq\!10M\Omega \end{array}$	10Ω-10ΜΩ	10Ω-10ΜΩ
						+500 -200		1Ω-9.1Ω	1Ω-9.1Ω	1Ω-9.1Ω
						±400				$10M\Omega {\le} R {\le} 20M\Omega$
RMS06	1/10W	50V	100V	-55	155	±100	10Ω-1ΜΩ	10Ω-1ΜΩ		
						±200		1M <r≦10mω< td=""><td>10Ω-10ΜΩ</td><td>10Ω-10ΜΩ</td></r≦10mω<>	10Ω-10ΜΩ	10Ω-10ΜΩ
						±400		1Ω-9.1Ω	1Ω-9.1Ω	1Ω-9.1Ω 10MΩ <r≦20mω< td=""></r≦20mω<>
RMS10	1/8W	150V	300V	-55	155	±100	10Ω-1ΜΩ	10Ω-1ΜΩ		
						±200		1M <r≦10mω< td=""><td>10Ω-10ΜΩ</td><td>10Ω-10ΜΩ</td></r≦10mω<>	10Ω-10ΜΩ	10Ω-10ΜΩ
						±400		1Ω-9.1Ω	1Ω-9.1Ω	1Ω-9.1Ω 10MΩ <r≦20mω< td=""></r≦20mω<>
RMS12	1/4W	200V	400V	-55	155	±100	10Ω-1ΜΩ	10Ω-1ΜΩ		
						±200		1M <r≦10mω< td=""><td>10Ω-10ΜΩ</td><td>10Ω-10ΜΩ</td></r≦10mω<>	10Ω-10ΜΩ	10Ω-10ΜΩ
						±400		1Ω-9.1Ω	1Ω-9.1Ω	1Ω-9.1Ω 10MΩ <r≦20mω< td=""></r≦20mω<>
RMS13	1/3W	200V	400V	-55	155	±100	10Ω-1ΜΩ	10Ω-1ΜΩ		
						±200		1M <r≦10mω< td=""><td>10Ω-10ΜΩ</td><td>10Ω-10ΜΩ</td></r≦10mω<>	10Ω-10ΜΩ	10Ω-10ΜΩ
						±400		1Ω-9.1Ω	1Ω-9.1Ω	1Ω-9.1Ω 10MΩ <r≦20mω< td=""></r≦20mω<>
RMS20	1/2W	200V	400V	-55	155	±100	10Ω-1ΜΩ	10Ω-1ΜΩ		
						±200		$1M < R \le 10M\Omega$	10Ω-10ΜΩ	10Ω-10ΜΩ
						±400		1Ω-9.1Ω	1Ω-9.1Ω	1Ω-9.1Ω 10M <r≦20mω< td=""></r≦20mω<>
RMS25	1W	200V	400V	-55	155	±100	10Ω-1ΜΩ	10Ω-1ΜΩ		
						±200	_	1M <r≦10mω< td=""><td>10Ω-10ΜΩ</td><td>10Ω-10ΜΩ</td></r≦10mω<>	10Ω-10ΜΩ	10Ω-10ΜΩ
						±400		1Ω-9.1Ω	1Ω-9.1Ω	1Ω-9.1Ω 10M <r≦20mω< td=""></r≦20mω<>

This schedule is only valid in conjunction with the referenced Certificate of Approval
This approval and any schedule(s) may only be reproduced in full.
This approval is not transferable and remains the property of the issuing body.
The Status and authenticity of this approval and any schedule(s) may be verified by visiting the
Official IECQ Website. www.iecq.org





covering Electronic Components,
Assemblies, Related Materials and Processes


For rules and details of the IECQ visit www.iecq.org

Schedule of Scope to Certificate of Conformity Approved Component

IECQ Certificate No.: IECQ-C ULTW 18.0001
CB Certificate No.: 20002947 AQP

Schedule Number: IECQ-C ULTW 18.0001-S Rev No.: 1 Revision Date: 2018/10/29 Page 2 of 4


Table 2 Part Number



1.1 Outline Drawing and Dimension

The outline drawing and dimension is listed as Table 3.

Table 3 Outline Drawing and Dimension



unit:mm

This schedule is only valid in conjunction with the referenced Certificate of Approval
This approval and any schedule(s) may only be reproduced in full.
This approval is not transferable and remains the property of the issuing body.
The Status and authenticity of this approval and any schedule(s) may be verified by visiting the
Official IECQ Website. www.iecq.org



DQS-Group - DQS Taiwan Inc., Feng Yuan Dist., Taichung City, Taiwan



covering Electronic Components,
Assemblies, Related Materials and Processes

For rules and details of the IECQ visit www.iecq.org

Schedule of Scope to Certificate of Conformity Approved Component

IECQ Certificate No.: IECQ-C ULTW 18.0001
CB Certificate No.: 20002947 AQP

Schedule Number: IECQ-C ULTW 18.0001-S Rev No.: 1 Revision Date: 2018/10/29 Page 3 of 4

Туре	L	w	С	d	t
RMS02	0.6 ±0.03	0.3 ±0.03	0.1 ±0.05	0.15 ±0.05	0.23 ±0.03
RMS04	+0.1 1.00 -0.05	0.50±0.05	0.20±0.10	0.25±0.10	0.32±0.05
RMS06	1.60±0.10	0.80±0.10	0.30±0.20	+0.2 0.30 -0.1	0.45±0.10
RMS10	2.00±0.10	1.25±0.10	0.40±0.20	0.40±0.20	0.50±0.10
RMS12	3.10±0.10	1.55±0.10	0.50±0.30	0.40±0.20	0.55±0.10
RMS13	3.10±0.10	2.55±0.10	0.50±0.30	0.40±0.20	0.60±0.10
RMS20	5.00±0.15	2.50±0.15	0.60±0.30	0.50±0.25	0.60±0.10
RMS25	6.30±0.20	3.20±0.20	0.60±0.30	0.50±0.25	0.60±0.10

1.2 Related Documents

IECQ 03-1, Rule of Procedure - Part 1: General Requirements for all IECQ Schemes

IECQ 03-3, Rule of Procedure – Part 3: IECQ Approved Component Products, Related Materials & Assemblies Scheme

IECQ 03-3-2: Rule of Procedure – Part 3-2: IECQ Approved Component Products, Related Materials & Assemblies Scheme, IECQ Approved Component – Automotive Qualification Program (IECQ AC-AQP)

AEC-Q200 REV D, Stress Test Qualification for Passive Components

AEC-Q200-004A Resistance Measurement Method

AEC-Q200-002B Human Body Model Electrostatic Discharge Test

AEC-Q200-005A Board Flex Test

AEC-Q200-006A Terminal Strength(SMD)/Shear Stress Test

JEDEC JESD22-A104D Temperature Cycling

This schedule is only valid in conjunction with the referenced Certificate of Approval
This approval and any schedule(s) may only be reproduced in full.
This approval is not transferable and remains the property of the issuing body.
The Status and authenticity of this approval and any schedule(s) may be verified by visiting the
Official IECQ Website. www.iecq.org

DQS-Group - DQS Taiwan Inc., Feng Yuan Dist., Taichung City, Taiwan





covering Electronic Components,
Assemblies, Related Materials and Processes

For rules and details of the IECQ visit www.iecq.org

Schedule of Scope to Certificate of Conformity Approved Component

IECQ Certificate No.: IECQ-C ULTW 18.0001
CB Certificate No.: 20002947 AQP

Schedule Number: IECQ-C ULTW 18.0001-S Rev No.: 1 Revision Date: 2018/10/29 Page 4 of 4

JEDEC JEP 140 Beaded Thermocouple Temperature Measurement of Semiconductor Package

JEDEC JEP 153A Characterization and Monitoring Thermal Stress Test Oven Temperatures

MIL-STD-883K Method 2009 Test methods standard microcircuits

JEDEC JESD22-B100B Physical Dimensions

MIL-STD-202H, Test Method Standard, Electronic and Electrical Component Part

EIA/IPC/JEDEC J-STD-002D, Solderability Tests for Component Leads, Terminations, Lugs, Terminals and Wires

ASTM-B-809-95(2013): Standard Test Method for Porosity in Metallic Coatings by Humid Sulfur Vapor ("Flowers-of-Sulfur")

IEC 60115-1 Edition 4.0: Fixed Resistors for Use in Electronic Equipment - Part 1: Generic Specification

UL-94: Flammability

