

IEC QUALITY ASSESSMENT SYSTEM (IECQ) covering Electronic Components, Assemblies, Related Materials and Processes

For rules and details of the IECQ visit www.iecq.org

Schedule of Scope to Certificate of Conformity Approved Component - Capability

IECQ Certificate No.: IECQ-C BSI 22.0001

CB Certificate No.: E767933/CA

Schedule Number: IECQ-C BSI 22.00	01-S Rev No.: 2	Revision Date: 2023/06/09	Page 1 of 3
Construction:	Alumina Substrate		
Resistors:	Ruthenium based, screen printed, laser trimmed		
Conductors:	Gold: 5 multilayer on dielectric, 1 on alumina. Palladium silver: 1 layer on dielectric and alumina		
Terminations:	By soldered leadouts, pins through glass seals		
<i>Add on Components</i> Types:	Diodes, transistors, integrated circuits, capacitors, resistors in discrete and chip form.		
Method of Attachment:	Silver conducting epo	oxy, solder	
Method of Interconnection:	Gold and Aluminium wire bonding, solder		
Assessment Category:	Full		
Packages and Sealing:	Lidseal area 1032 mr Maximum number of	leads 20 pin SIL, 40 pin DIL kage maximum area 1574 mr	

This schedule is only valid in conjunction with the referenced Certificate of Approval This approval and any schedule(s) may only be reproduced in full. This approval is not transferable and remains the property of the issuing body. The Status and authenticity of this approval and any schedule(s) may be verified by visiting the Official IECQ Website. www.iecq.org



BSI, Kitemark Court Davy Avenue Knowlhill Milton Keynes MK5 8PP UK



For rules and details of the IECQ visit www.iecq.org

Schedule of Scope to Certificate of Conformity Approved Component - Capability

IECQ Certificate No.: IECQ-C BSI 22.0001

CB Certificate No.: E767933/CA

Schedule Number: IECQ-C BSI 22.0001-S	Rev No.: 2	Revision Date: 2023/06/09	Page 2 of 3
Boundaries of Capability:			
Resistors: Range:	4.44Ω to	4 ΜΩ	
10 Ω / sq decade. Less than 10 Ω	± 0.1Ω		
$10\Omega - 100\Omega$ / sq decades. 10Ω - 100Ω	± 1.0%		
100 $\Omega,$ 1K $\Omega,$ 10K $\Omega,$ 100K Ω / decades 100 Ω to 300K Ω	o ±0.5%		
100KΩ, 1MΩ / sq decades. 300KΩ – 2MΩ	± 1.0%		
1M Ω / sq decade. > 2M Ω	± 5.0%		
Matching tolerance $13\Omega - 130K\Omega$	± 0.3%		
TCR 10Ω / sq decade TCR 100Ω, 1KΩ, 10KΩ, 100KΩ / sq decades	± 250 pp s ± 100 pp		
TCR 1M Ω / sq decade	± 250 pp	m/°C	
TCR tracking $130\Omega - 130K\Omega$	± 50 ppm	/°C	
Stability Storage Temperature Operating Range Substrate Power	- 55 °C to compone	o +150 °C o +125 °C (-40 °C Add on nts) nm² @ + 70°C	
Screening Customer Participation in Design	Level K, c	others by agreement with the	

This schedule is only valid in conjunction with the referenced Certificate of Approval This approval and any schedule(s) may only be reproduced in full. This approval is not transferable and remains the property of the issuing body. The Status and authenticity of this approval and any schedule(s) may be verified by visiting the Official IECQ Website. <u>www.iecq.org</u>



BSI, Kitemark Court Davy Avenue Knowlhill Milton Keynes MK5 8PP UK



IEC QUALITY ASSESSMENT SYSTEM (IECQ) covering Electronic Components, Assemblies, Related Materials and Processes

For rules and details of the IECQ visit www.iecq.org

Schedule of Scope to Certificate of Conformity Approved Component - Capability

IECQ Certificate No.: IECQ-C BSI 22.0001

CB Certificate No.: E767933/CA

Schedule Number: IECQ-C	BSI 22.0001-S Rev No.: 2	Revision Date: 2023/06/09 Pa	age 3 of 3
BS CECC 63200	Test	Conditions	CQC
4.5.1	Storage at High Temperature	150 °C, 168 hours	6,7
4.5.2	Storage at Low Temperature	- 65 °C, 168 hours	6,7
4.5.3	Damp Heat; Steady State	56 days, 55 °C, 90% RH	6,7
4.5.6	Vibration	78 Hz to 2000 Hz 196 m/s ²	7
4.5.7	Acceleration	5000 g Y1	7
4.5.8	Rapid Change of Temperature	10 cycles 150 °C – 65 °C	6,7
4.5.10	Solderability	235 °C, 2 s	6,7
4.5.11	Resistance to Soldering Heat	350 °C, 3.5 s	6,7
4.5.12	Terminal Robustness	2 bends, 1 direction, 0.5 Kgm	n 6,7
4.5.14	Endurance	2000 hours @ +125 °C	6,7
4.5.16	Flammability	10s	7

Note: It may not be possible to achieve all the individual limits of capability in combination.

This schedule is only valid in conjunction with the referenced Certificate of Approval This approval and any schedule(s) may only be reproduced in full. This approval is not transferable and remains the property of the issuing body. The Status and authenticity of this approval and any schedule(s) may be verified by visiting the Official IECQ Website. www.iecq.org



BSI, Kitemark Court Davy Avenue Knowlhill Milton Keynes MK5 8PP UK